

ARGENTINA

'Yungas forests with scenic vistas and a fast-flowing river, the Andean altiplano filled with stark beauty and unique isolation from civilization, the Argentine pampas, the Patagonian desert and steppe, the southern beech forests of southern Patagonia and Tierra del Fuego and the majestic Iguazu Falls.... During a month of non-stop birding and travel, we had opportunities to explore and savor the bird and mammal life of each of these regions with each touch-down leaving us in awe of the diversity of the immense country of Argentina. The effects of El Niño resulted in us seeing birds not normally seen, working harder to find some species and even missing a few but fortunately had little impact on our birding and time in the field.

Not long after landing in the colonial city of Salta, we soon discovered that two hands were not enough to hold empanadas, drinks and our binoculars at the same time when our first White Monjitas were spotted during our lunch-time stop. Cream-backed Woodpeckers and a Red-legged Seriema were two of our highlight species during our short stay in the Salta area. And although rain aborted much of our planned night-time birding, we still managed to enjoy a very wet Little Nightjar from the dry comfort of our bus. Our first full day provided non-stop birding and the highest number of species seen on a single day during our week in the northwest as the sharp eyes of group members continually spotted both the expected and the unexpected. The first Andean Condors, the first Toco Toucans, the unexpected and first time for Chaco Chachalaca to be recorded on a Sunbird trip, an obliging Giant Antshrike, a suicidal Plumbeous Rail, a confiding Greater Thornbird demonstrated the diversity of birdlife that we were to experience over the coming days. Calilegua National Park will best be remembered by some of the group for their struggle for a glimpse of and then point-blank views of a White-throated Antpitta calling and calling and calling! Independence day and crowds of people picnicking near the Yala River had us worried about finding a Rufous-throated Dipper but more secluded parts of the river yielded a very confiding dipper and a pair of Torrent Ducks. As dusk fell and the festivities ended, we remained in the valley and managed to locate a Red-faced Guan and then enjoy the incredible flight display of a male Lyre-tailed Nightjar.

Our day-long ascent into the Andes to Abra Pampa was filled with the enjoyment of the changing colors and vegetation of the desert terrain and sightings of Giant hummingbirds, Red-tailed Comets, sierra-finches, chat-tyrants and Mountain Caracaras. In the higher altitudes, we walked a little slower, stumbled over our words, and gained a greater respect for the people who live and work in the high Andean town of Abra Pampa while enjoying the birdlife and remoteness of the northwest corner of the country. The walk to the edge of Pozuelos Lake was surreal with the vast flatness of the terrain intensifying the unearthly beauty of the pink haze of 3 species of flamingos in the distance. Puna Plovers, Puna Ibis, Puna Rheas, Andean Avocet, Vicuñas – our sightings offset any discomfort we may have felt from the altitude.

The Northwest rapidly became a chip saved in our memory bank following our touch-down in Buenos Aires and exposure to a new set of birds as we started our journey exploring the southern part of the country. Greater Rheas, Southern Screamers, Long-winged Harriers, Giant Wood-rails, and a South American Painted Snipe as well as the skill of our driver on a road that quickly turned to unstable mud following a brief rainstorm etched lasting images of the pampas.

The flatness of the northern Patagonian desert never ceases to amaze upon landing in the town of Trelew. A walk through a Magellanic Penguin colony where we enjoyed the sights, sounds and smells of nesting penguins at close range was a mega-experience for everyone.

ARGENTINA: Bird List...2

The Valdez Peninsula demonstrated the abundance of wildlife in this bleak, harsh terrain as we enjoyed views of Maras, Patagonian Foxes, Southern Right Whales, Southern Sea Lions, Southern Elephant Seals, Guanacos, Elegant Crested Tinamous, Tawny-throated Dotterels, earthcreepers and many other species.

The Patagonian steppe and glacial lakes of southern Patagonia provided scenic relief after the starkness of northern Patagonian desert. From the sighting of Magellanic Plovers our first afternoon to the Chocolate-vented Ground-tyrant our final morning, our time in the El Calafate area filled our checklists with new sightings including Spectacled Duck, Magellanic Woodpecker, Thorn-tailed Rayaditos, Rufous-tailed Plantcutters and the stunning view of the Chilean race of Bicolored Hawk. The allure of the Moreno Glacier captured all of our attention with birds forgotten for a brief time as we were mesmerized by the massiveness of the glacial ice.

No southern Argentina trip can be complete without a visit to Tierra del Fuego. The rugged mountains dropping to the ocean, the beauty of the Beagle Channel when viewed from the walk toward the Martial Glacier above Ushuaia, and the southern beech forest of the national park vie for the most impressionable scenery of the area with each holding its own set of birds. Yellow-bridled Finches and ground tyrants as well as the scenic views of the Beagle Channel and surrounding mountains made the trek up the ski area well worth the effort. Black-browed Albatrosses, Magellanic Diving Petrels, Southern Fulmars and Gentoo and Magellanic Penguins offset the discomfort felt when the Beagle Channel changed our trip from a placid sail to a rough sea journey on our return to Ushuaia. And, the appearance of a female Green-backed Firecrown while we were watching an Austral Pygmy-Owl was the most unexpected sighting of the trip. Rio Grande lived up to its reputation of wind with an Austral Canastero proving its hardiness by sitting and singing on an exposed bush as we struggled to hold our binoculars and scopes steady.

Iguazu -- the falls are one of the most scenic wonders of the world. That combined with the exceptional forest birding made our week there pass far too rapidly. The multitudes of Great Dusky Swifts seen making dare-devil dives into the churning water of the Devil's throat, Toco Toucans perched high in trees, and the late afternoon sighting of a Black-fronted Piping Guan were only a few of the highlights of the trip. An afternoon leisurely watching hummingbirds come to feeders, an after-dinner walk for Tropical Screech Owl and Common Potoo, a very obliging Rufous Gnateater in the heat of the day, Robust and Blond-crested Woodpeckers, White-bearded and Blue Manakins and Green-headed Tanagers were a few of the more memorable experiences of the week. The combination of such superb forest birding and scenic beauty of the falls makes this one of the best birding destinations one can imagine, either as a stand-alone trip or, as for some of the group, as a perfect culmination to a month of birding in Argentina.

Thanks to all who chose this year's trip and helped make it such a success with your enthusiasm, humor and exceptional spotting skills.' – *Judy Davis*.

BIRD LIST:

Column A = Number of tours on which this species has been recorded.

Column B = Number of days this species was seen on the last tour.

Column C = Maximum daily count for this species on the last tour.

H = Heard only

(H) = Species seen at least once, but most birds only heard

N = Nesting behaviour evident

A = seen on the northwest (Andes) extension

ARGENTINA: Bird List...3

M = seen on the main tour
I = seen on the Iguazu extension

| A | B | C | | | | |
|----------------------------------|---|------|---|---|-----|-----------------------------------|
| 2 Solitary Tinamou | | | | | | <i>Tinamus solitarius</i> |
| 8 Brown Tinamou | 2 | 1 | H | | I | <i>Crypturellus obsoletus</i> |
| 8 Tataupa Tinamou | 3 | 2 | H | A | I | <i>Crypturellus tataupa</i> |
| 7 Ornate Tinamou | 1 | 3 | | A | | <i>Nothoprocta ornata</i> |
| 1 Brushland Tinamou | | | | | | <i>Nothoprocta cinerascens</i> |
| 8 Darwin's Tinamou | 2 | 2 | H | | M | <i>Nothura darwinii</i> |
| 9 Spotted Nothura | 1 | 1 | | | M | <i>Nothura maculosa</i> |
| 9 Elegant Crested-Tinamou | 3 | 38 | | | M | <i>Eudromia elegans</i> |
| 9 Greater Rhea | 3 | 41 | | | M | <i>Rhea americana</i> |
| 9 Lesser (Darwin's) Rhea | 4 | 30 | | N | M | <i>Rhea pennata pennata</i> |
| 9 Lesser (Puna) Rhea | 1 | 5 | | A | | <i>Rhea pennata garleppi</i> |
| 9 White-tufted Grebe | 3 | 6 | | A | M | <i>Rollandia rolland</i> |
| 3 Least Grebe | | | | | | <i>Tachybatous dominicus</i> |
| 9 Pied-billed Grebe | 1 | 25 | | A | | <i>Podilymbus podiceps</i> |
| 9 Great Grebe | 7 | 16 | | N | A M | <i>Podiceps major</i> |
| 9 Silvery Grebe | 4 | 20 | | A | M | <i>Podiceps occipitalis</i> |
| 4 Hooded Grebe | | | | | | <i>Podiceps gallardoi</i> |
| 9 Gentoo Penguin | 1 | 26 | | N | M | <i>Pygoscelis papua</i> |
| 9 Magellanic Penguin | 3 | 1000 | | N | M | <i>Spheniscus magellanicus</i> |
| 9 Black-browed Albatross | 1 | 30 | | | M | <i>Diomedea melanophris</i> |
| 9 Southern Giant-Petrel | 6 | 30 | | | M | <i>Macronectes giganteus</i> |
| 1 Northern Giant-Petrel | | | | | | <i>Macronecces Halli</i> |
| 6 Southern Fulmar | 1 | 150 | | | M | <i>Fulmarus glacialoides</i> |
| 1 White-chinned Petrel | | | | | | <i>Procellaria aequinoctialis</i> |
| 1 Manx Shearwater | | | | | | <i>Puffinus puffinus</i> |
| 2 Sooty Shearwater | | | | | | <i>Puffinus griseus</i> |
| 1 Wilson's Storm-Petrel | | | | | | <i>Oceanites oceanicus</i> |
| 9 Magellanic Diving-Petrel | 1 | 4 | | | M | <i>Pelecanoides magellani</i> |
| 9 Neotropic Cormorant | 9 | 100+ | | A | M I | <i>Phalacrocorax brasilianus</i> |
| 9 Imperial Shag (King Cormorant) | 4 | 100+ | | | M | <i>Phalacorax atriceps</i> |
| 9 Rock Shag (Rock Cormorant) | 6 | 100 | | N | M | <i>Phalacorax magellanicus</i> |
| 8 Anhinga | 3 | 6 | | | I | <i>Anhinga anhinga</i> |
| 1 Magnificent Frigatebird | | | | | | <i>Fregata magnificens</i> |
| 9 Southern Screamer | 4 | 15 | | | M | <i>Chauna torquata</i> |
| 9 Fulvous Whistling-Duck | 2 | 100+ | | A | M | <i>Dendrocygna bicolor</i> |
| 9 White-faced Whistling-Duck | 4 | 100+ | | A | M | <i>Dendrocygna viduata</i> |
| 5 Masked Duck | 1 | 8 | | | I | <i>Oxyura dominica</i> |
| 9 Andean Duck | 1 | 5 | | A | | <i>Oxyura ferruginea</i> |
| 9 Lake Duck | 2 | 100+ | | | M | <i>Oxyura vittata</i> |
| 9 Black-necked Swan | 6 | 30 | | | M | <i>Cygnus melancorypha</i> |
| 9 Coscoroba Swan | 8 | 6 | | A | M | <i>Coscoroba coscoroba</i> |
| 9 Andean Goose | 2 | 00s | | A | | <i>Chloephaga melanoptera</i> |
| 9 Upland Goose | 7 | 200+ | | | M | <i>Chloephaga picta</i> |
| 9 Kelp Goose | 3 | 18 | | N | M | <i>Chloephaga hybrida</i> |
| 9 Ashy-headed Goose | 6 | 150 | | | M | <i>Chloephaga poliocephala</i> |
| 7 Ruddy-headed Goose | | | | | | <i>Chloephaga rubidiceps</i> |
| 9 Flightless Steamerduck | 1 | 20 | | | M | <i>Tachyeres pteneres</i> |
| 9 Chubut Steamerduck | 1 | 3 | | | M | <i>Tachyeres leucocephalus</i> |

ARGENTINA: Bird List...4

| | | | | | | |
|---|----------------------------|----|------|---|-----|----------------------------------|
| 9 | Flying Steamerduck | 3 | 10 | | M | <i>Tachyeres patachonicus</i> |
| 7 | Muscovy Duck | 1 | 1 | | I | <i>Cairina moschata</i> |
| 1 | Ringed Teal | 2 | 4 | A | M | <i>Callonetta leucophrys</i> |
| 8 | Brazilian Duck | 1 | 20 | A | | <i>Amazonetta brasiliensis</i> |
| 9 | Torrent Duck | 3 | 4 | A | M | <i>Merganetta armata</i> |
| 9 | Chiloe Wigeon | 7 | 20 | | M | <i>Anas sibilatrix</i> |
| 9 | Speckled Teal | 11 | 50 | N | A M | <i>Anas flavirostris</i> |
| 9 | Crested Duck | 9 | 100 | | A M | <i>Anas specularioides</i> |
| 9 | Spectacled Duck | 1 | 2 | | M | <i>Anas specularis</i> |
| 9 | Yellow-billed Pintail | 11 | 50 | N | A M | <i>Anas georgica</i> |
| 5 | White-cheeked Pintail | | | | | <i>Anas bahamensis</i> |
| 9 | Puna Teal | 2 | 75 | A | | <i>Anas puna</i> |
| 9 | Silver Teal | 3 | 6 | A | M | <i>Anas versicolor</i> |
| 9 | Cinnamon Teal | 4 | 2 | A | M | <i>Anas cyanoptera</i> |
| 9 | Red Shoveler | 6 | '00s | | M | <i>Anas platalea</i> |
| 9 | Rosy-billed Pochard | 5 | 30 | A | M | <i>Netta peposaca</i> |
| 9 | Black-headed Duck | 2 | 6 | A | M | <i>Heteronetta atricapilla</i> |
| 9 | Chilean Flamingo | 11 | '00s | A | M | <i>Phoenicopterus chilensis</i> |
| 9 | Andean Flamingo | 1 | 250 | A | | <i>Phoenicopterus andinus</i> |
| 9 | Puna (James's) Flamingo | 2 | 250 | A | | <i>Phoenicopterus jamesi</i> |
| 9 | Whistling Heron | 5 | 2 | A | M | <i>Syrigma sibilatrix</i> |
| 9 | Snowy Egret | 9 | 20 | A | M I | <i>Egretta thula</i> |
| 9 | Cocoi (White-necked) Heron | 5 | 10 | A | M I | <i>Ardea cocoi</i> |
| 9 | Great Egret | 12 | 10 | A | M I | <i>Casmerodius albus</i> |
| 9 | Cattle Egret | 7 | 00s | A | M | <i>Bubulcus ibis</i> |
| 9 | Striated Heron | 4 | 2 | A | M I | <i>Butorides striatus</i> |
| 9 | Black-crowned Night-Heron | 6 | 20+ | N | A I | <i>Nycticorax nycticorax</i> |
| 9 | Rufescent Tiger-Heron | 1 | 1 | | I | <i>Tigrisoma lineatum</i> |
| 3 | Stripe-backed Bittern | | | | | <i>Ixobrychus involucris</i> |
| 8 | Bare-faced Ibis | 1 | 6 | | M | <i>Phimosus infuscatus</i> |
| 9 | White-faced Ibis | 9 | 200 | A | M | <i>Plegadis chihi</i> |
| 9 | Puna Ibis | 1 | 1 | A | | <i>Plegadis ridgwayi</i> |
| 8 | Buff-necked Ibis | 4 | 3 | A | I | <i>Theristicus caudatus</i> |
| 9 | Black-faced Ibis | 7 | 23 | | M | <i>Theristicus melanopsis</i> |
| 6 | Green Ibis | | | | | <i>Mesembrinibis cayennensis</i> |
| 9 | Roseate Spoonbill | 3 | 10 | A | M | <i>Platalea (Ajaja) ajaja</i> |
| 9 | Wood Stork | 4 | 10 | A | M | <i>Mycteria americana</i> |
| 9 | Maguari Stork | 3 | 50 | | M | <i>Ciconia maguari</i> |
| 9 | Black Vulture | 14 | 200 | A | M I | <i>Coragyps atratus</i> |
| 9 | Turkey Vulture | 16 | 20 | A | M I | <i>Cathartes aura</i> |
| 9 | Andean Condor | 4 | 15 | N | A M | <i>Vultur gryphus</i> |
| 5 | King Vulture | | | | | <i>Sarcoramphus papa</i> |
| 3 | Osprey | 1 | 1 | | M | <i>Pandion haliaetus</i> |
| 3 | Hook-billed Kite | | | | | <i>Chondrohierax uncinatus</i> |
| 9 | Swallow-tailed Kite | 4 | 4 | A | I | <i>Elanoides forficatus</i> |
| 9 | White-tailed Kite | 2 | 3 | A | M | <i>Elanus leucurus</i> |
| 9 | Snail Kite | 5 | 15 | | M I | <i>Rostrhanus sociabilis</i> |
| 9 | Rufous-thighed Kite | 2 | 3 | A | | <i>Harpagus diodon</i> |
| 9 | Plumbeous Kite | 9 | 10 | N | A I | <i>Ictinia plumbea</i> |
| 2 | Gray-headed Kite | | | | | <i>Leptodon cayanensis</i> |
| 9 | Long-winged Harrier | 4 | 20 | | M | <i>Circus buffoni</i> |
| 9 | Cinereous Harrier | 4 | 2 | | M | <i>Circus cinereus</i> |
| 5 | Rufous-thighed Hawk | | | | | <i>Accipiter erythronemius</i> |
| 1 | Bicolored Hawk | 1 | 1 | | M | <i>Accipiter bicolor</i> |

ARGENTINA: Bird List...5

| | | | | | | |
|---|------------------------------|----|------|-----|-------|------------------------------------|
| 7 | Savanna Hawk | | | | | <i>Heterospizias meriodionalis</i> |
| 9 | Harris's (Bay-winged) Hawk | 3 | 3 | A | M | <i>Parabuteo unicinctus</i> |
| 9 | Black-chested Buzzard-Eagle | 3 | 3 | | M | <i>Geranoaetus melanoleucus</i> |
| 2 | Solitary Eagle | | | | | <i>Harpyhaliaetus solitarius</i> |
| 9 | Roadside Hawk | 7 | 2 | A | M I | <i>Buteo magnirostris</i> |
| 3 | Short-tailed Hawk | 1 | 1 | A | | <i>Buteo brachyurus</i> |
| 3 | White-rumped Hawk | | | | | <i>Buteo leucorrhus</i> |
| 5 | Swainson's Hawk | | | | | <i>Buteo swainsoni</i> |
| 9 | Variable (Red-backed) Hawk | 3 | 3 | A | M | <i>Buteo polyosoma</i> |
| 8 | Variable (Puna) Hawk | 2 | 4 | A | | <i>Buteo p. poecilochrous</i> |
| 9 | Mountain Caracara | 3 | 4 | A | | <i>Phalcoboenus megalopterus</i> |
| 9 | White-throated Caracara | 1 | 2 | | M | <i>Phalcoboenus albogularis</i> |
| 9 | Southern Crested-Caracara | 20 | 200 | N | A M I | <i>Polyborus plancus</i> |
| 8 | Yellow-headed Caracara | 2 | 3 | | I | <i>Milvago chimachima</i> |
| 9 | Chimango Caracara | 17 | 75 | N | A M | <i>Milvago chimango</i> |
| 9 | American Kestrel | 10 | 3 | A | M | <i>Falco sparverius</i> |
| 9 | Aplomado Falcon | 4 | 2 | A | M | <i>Falco femoralis</i> |
| 3 | Bat Falcon | 1 | 1 | | I | <i>Falco rufigularis</i> |
| 8 | Peregrine Falcon | 1 | 1 | A | | <i>Falco peregrinus</i> |
| 1 | Chaco Chachalaca | 1 | 2 | A | | <i>Ortalis canicollis</i> |
| 7 | Rusty-margined Guan | 4 | 2 | | I | <i>Penelope superciliaris</i> |
| 4 | Red-faced Guan | 1 | 1 | A | | <i>Penelope dabbeni</i> |
| 7 | Dusky-legged Guan | 4 | 6 | A | M | <i>Penelope obscura</i> |
| 8 | Black-fronted Piping-Guan | 1 | 2 | | I | <i>Pipile jacutinga</i> |
| 7 | Rufous-sided Crake | | | | | <i>Laterallus melanophaius</i> |
| 9 | Gray-necked Wood-Rail | 3 | 6 | (H) | A M | <i>Aramides cajanea</i> |
| 9 | Giant Wood-Rail | 1 | 2 | | M | <i>Aramides ypecaha</i> |
| 8 | Slaty-breasted Wood-Rail | 1 | 2 | | I | <i>Aramides saracura</i> |
| 1 | Dot-winged Crake | | | | | <i>Porzana spiloptera</i> |
| 5 | Ash-throated Crake | | | | | <i>Porzana albicollis</i> |
| 8 | Blackish Rail | 2 | 2 | | I | <i>Pardirallus nigricans</i> |
| 9 | Plumbeous Rail | 3 | 3 | N | A M | <i>Pardirallus sanguinolentus</i> |
| 8 | Purple Gallinule | 1 | 2 | | I | <i>Porphyrio martinicus</i> |
| 9 | Common Moorhen | 4 | 8 | N | A M I | <i>Gallinula chloropus</i> |
| 8 | Spot-flanked Gallinule | 2 | 3 | N | A M | <i>Gallinula melanops</i> |
| 9 | White-winged Coot | 7 | 50 | A | M | <i>Fulica leucoptera</i> |
| 9 | Slate-colored (Andean) Coot | 2 | 2 | A | | <i>Fulica ardesiaca</i> |
| 9 | Red-gartered Coot | 5 | 50 | A | M | <i>Fulica armillata</i> |
| 8 | Red-fronted Coot | 2 | 20 | N | M | <i>Fulica rufifrons</i> |
| 4 | Giant Coot | | | | | <i>Fulica gigantea</i> |
| 9 | Limpkin | 2 | 3 | N | I | <i>Aramus guarauna</i> |
| 9 | Red-legged Seriema | 1 | 1 | A | | <i>Cariama cristata</i> |
| 9 | Wattled Jacana | 2 | 2 | A | I | <i>Jacana jacana</i> |
| 6 | South American Painted-Snipe | 1 | 1 | | M | <i>Nyticryphes semicollaris</i> |
| 9 | South American Snipe | 4 | 2 | | M | <i>Gallinago paraguayae</i> |
| 9 | Hudsonian Godwit | 4 | 60 | A | M | <i>Limosa haemastica</i> |
| 6 | Whimbrel | 1 | 50 | | M | <i>Numenius phaeopus</i> |
| 8 | Greater Yellowlegs | 1 | 4 | A | | <i>Tringa melanoleuca</i> |
| 9 | Lesser Yellowlegs | 4 | 150+ | A | M | <i>Tringa flavipes</i> |
| 3 | Solitary Sandpiper | 1 | 1 | | M | <i>Tringa solitaria</i> |
| 4 | Spotted Sandpiper | | | | | <i>Actitis macularia</i> |
| 7 | Ruddy Turnstone | 2 | 2 | | M | <i>Arenaria interpres</i> |
| 7 | Red Knot | 3 | 100 | | M | <i>Calidris canutus</i> |
| 7 | Sanderling | | | | | <i>Calidris alba</i> |

ARGENTINA: Bird List...6

| | | | | | | |
|---|--------------------------------|----|------|---|-------|---------------------------------|
| 9 | White-rumped Sandpiper | 6 | 00s | | M | <i>Calidris fuscicollis</i> |
| 9 | Baird's Sandpiper | 8 | 200 | | A M | <i>Calidris bairdii</i> |
| 8 | Pectoral Sandpiper | 2 | 20 | | A M | <i>Calidris melanotos</i> |
| 4 | Stilt Sandpiper | | | | | <i>Calidris himantopus</i> |
| 5 | Buff-breasted Sandpiper | 2 | 12 | | M | <i>Tryngites subruficollis</i> |
| 7 | Wilson's Phalarope | 6 | 200 | | A M | <i>Phalaropus tricolor</i> |
| 9 | Snowy Sheathbill | 1 | 4 | | M | <i>Chionis alba</i> |
| 9 | Magellanic Plover | 1 | 4 | | M | <i>Pluvianellus socialis</i> |
| 9 | Gray-breasted Seedsnipe | 1 | 2 | | A | <i>Thinocorus orbignyianus</i> |
| 9 | Least Seedsnipe | 6 | 20 | N | M | <i>Thinocorus rumicivorus</i> |
| 9 | American Oystercatcher | 4 | 50 | | M | <i>Haematopus palliatus</i> |
| 9 | Blackish Oystercatcher | 4 | 10 | | M | <i>Haematopus ater</i> |
| 9 | Magellanic Oystercatcher | 4 | 20 | | M | <i>Haematopus leucopodus</i> |
| 9 | White-backed Stilt | 9 | 450 | | A M | <i>Himantopus melanurus</i> |
| 7 | Andean Avocet | 1 | 3 | | A | <i>Recurvirostra andina</i> |
| 9 | American Golden Plover | 3 | 50 | | M | <i>Pluvialis dominica</i> |
| 5 | Grey (Black-bellied) Plover | 1 | 6 | | M | <i>Pluvialis squatarola</i> |
| 4 | Semipalmated Plover | | | | | <i>Charadrius semipalmatus</i> |
| 9 | Two-banded Plover | 4 | 8 | | M | <i>Charadrius falklandicus</i> |
| 9 | Puna Plover | 1 | 6 | | A | <i>Charadrius alticola</i> |
| 3 | Collared Plover | | | | | <i>Charadrius collaris</i> |
| 9 | Rufous-chested Dotterel | 2 | 6 | | M | <i>Charadrius modestus</i> |
| 9 | Tawny-throated Dotterel | 2 | 2 | | M | <i>Oreopholus ruficollis</i> |
| 9 | Southern Lapwing | 21 | '00s | N | A M I | <i>Vanellus chilensis</i> |
| 9 | Andean Lapwing | 1 | 10 | | A | <i>Vanellus resplendens</i> |
| 9 | Dolphin Gull | 4 | 50 | | M | <i>Larus scoresbii</i> |
| 8 | Olrog's Gull | 1 | 120 | | M | <i>Larus atlanticus</i> |
| 9 | Kelp (Dominican) Gull | 12 | '00s | N | M | <i>Larus dominicanus</i> |
| 9 | Gray-headed Gull | 1 | 3 | | M | <i>Larus cirrocephalus</i> |
| 9 | Brown-hooded Gull | 8 | '00s | | M | <i>Larus maculipennis</i> |
| 9 | Andean Gull | 2 | 100 | | A | <i>Larus serranus</i> |
| 4 | Franklin's Gull | | | | | <i>Larus pipixcan</i> |
| 9 | Royal Tern | 1 | 40 | | M | <i>Sterna maxima</i> |
| 9 | Sandwich Tern | 2 | 20 | | M | <i>Sterna sandvicensis</i> |
| 9 | South American Tern | 4 | '00s | | M | <i>Sterna hirundinacea</i> |
| 9 | Common Tern | 2 | '00s | | M | <i>Sterna hirundo</i> |
| 9 | Snowy-crowned Tern | 2 | 40 | | M | <i>Sterna trudeaui</i> |
| 1 | Yellow-billed Tern | | | | | <i>Sterna superciliaris</i> |
| 1 | Least Tern | | | | | <i>Sterna antillarum</i> |
| 9 | Brown Skua | 1 | 5 | | M | <i>Stercorarius antarctica</i> |
| 9 | Chilean Skua | 3 | 50+ | | M | <i>Stercorarius chilensis</i> |
| 3 | Arctic Skua (Parasitic Jaeger) | | | | | <i>Stercorarius parasiticus</i> |
| 9 | Black Skimmer | 3 | 30 | | M | <i>Rynchops niger</i> |
| 9 | Picazuro Pigeon | 9 | 50 | | A M I | <i>Columba picazuro</i> |
| 7 | Spot-winged Pigeon | 1 | 5 | | M | <i>Columba maculosa</i> |
| 9 | Band-tailed Pigeon | 2 | 25 | | A | <i>Columba fasciata</i> |
| 9 | Pale-vented Pigeon | 9 | 50 | | A I | <i>Columba cayennensis</i> |
| 9 | Eared Dove | 20 | 100 | N | A M I | <i>Zenaida auriculata</i> |
| 8 | Ruddy Ground-Dove | 1 | 20 | | I | <i>Columbina talpacoti</i> |
| 4 | Blue Ground-Dove | | | | | <i>Clavavis preiosa</i> |
| 9 | Picui Ground-Dove | 4 | 10 | | A M | <i>Columbina picui</i> |
| 1 | Bare-faced Ground-Dove | 1 | 1 | | A | <i>Metriopelia cecillae</i> |
| 8 | Bare-eyed Ground-Dove | 1 | 2 | | A | <i>Metriopelia morenoi</i> |
| 9 | Black-winged Ground-Dove | 1 | 1 | | A | <i>Metriopelia melanoptera</i> |

ARGENTINA: Bird List...7

| | | | | | | |
|---|-------------------------------------|----|-------|-----|---------|---|
| 9 | Golden-spotted Ground-Dove | 1 | 12 | | A | <i>Metriopelia aymara</i> |
| 9 | White-tipped Dove | 6 | 4 | | A M I | <i>Leptotila verreauxi</i> |
| 7 | Yungas Dove | 3 | 7 | (H) | A | <i>Leptotila megalura</i> |
| 8 | Gray-fronted Dove | 5 | 2 | | I | <i>Leptotila rufaxilla</i> |
| 5 | Golden-collared Macaw | | | | | <i>Ara auricollis</i> |
| 9 | Mitred Parakeet | 2 | 100 | | A | <i>Aratinga mitrata</i> |
| 9 | White-eyed Parakeet | 8 | 50 | | A I | <i>Aratinga leucophthalmus</i> |
| 7 | Nanday Parakeet (introduced) | 1 | 4 | | M | <i>Nandayus nenday</i> |
| 9 | Burrowing Parrot | 2 | 70+ | | M | <i>Cyanoliseus patagonus</i> |
| 8 | Maroon (Reddish) -bellied Parakeet2 | 10 | | | I | <i>Pyrrhura frontalis</i> |
| 7 | Green-cheeked Parakeet | 1 | 10 | | A | <i>Pyrrhura molinae</i> |
| 9 | Austral Parakeet | 2 | 2 | | M | <i>Enicognathus ferrugineus</i> |
| 9 | Monk Parakeet | 7 | '00s | | N A M I | <i>Myiopsitta monachus</i> |
| 7 | Gray-hooded Parakeet | 1 | 1 | | A | <i>Bolborhynchus aymara</i> |
| 6 | Mountain Parakeet | 1 | 10 | | A | <i>Bolborhynchus aurifrons</i> |
| 8 | Blue-winged Parrotlet | 4 | 2 | | I | <i>Forpus xanthopterygius</i> |
| 9 | Scaly-headed Parrot | 7 | 6 | | A I | <i>Pionus maximiliani</i> |
| 9 | Alder Parrot | 1 | 15 | | A | <i>Amazona tucuman</i> |
| 6 | Turquoise-fronted Parrot | 4 | 2 | | A I | <i>Amazona aestiva</i> |
| 3 | Ash-colored Cuckoo | | | | | <i>Coccyzus cinereus</i> |
| 4 | Pearly breasted Cuckoo | 1 | 2 | (H) | I | <i>Coccyzus euleri</i> |
| 9 | Dark-billed Cuckoo | 4 | 3 | | A M I | <i>Coccyzus melacoryphus</i> |
| 9 | Squirrel Cuckoo | 8 | 5 | | A I | <i>Piaya cayana</i> |
| 8 | Greater Ani | 1 | 12 | | I | <i>Crotophaga major</i> |
| 8 | Smooth-billed Ani | 7 | 3 | | A I | <i>Crotophaga ani</i> |
| 9 | Guira Cuckoo | 9 | 30 | | A M I | <i>Gulira guira</i> |
| 7 | Striped Cuckoo | 1 | 1 | H | A | <i>Tapera naevia</i> |
| 8 | Tropical Screech-Owl | 2 | 2 | | I | <i>Otus choliba</i> |
| 3 | Hoy's Screech Owl | | | | | <i>Otus hoyi</i> |
| 7 | Ferruginous Pygmy-Owl | 1 | 2 | | I | <i>Glaucidium brasilianum</i> |
| 9 | Austral Pygmy-Owl | 1 | 2 | | N M | <i>Glaucidium nanum</i> |
| 9 | Burrowing Owl | 5 | 6 | | N A M | <i>Athene cunicularia</i> |
| 8 | Gray (Common) Potoo | 3 | 3 | | A I | <i>Nyctibius griseus</i> |
| 5 | Pauraque | | | | | <i>Nyctidromus albicollis</i> |
| 1 | Little Nightjar | 1 | 1 | | A | <i>Caprimulgus parvulus</i> |
| 3 | Scissor-tailed Nightjar | | | | | <i>Hydropsalis torquata</i> |
| 3 | Lyre-tailed Nightjar | 1 | 5 | | A | <i>Uropsalis lyra</i> |
| 7 | Rothschild's (Dark Brown) Swift | | | | | <i>Cypseloides rothschildi</i> |
| 8 | Great Dusky Swift | 5 | '000s | | I | <i>Cypseloides senex</i> |
| 6 | White-collared Swift | 3 | 20 | | A | <i>Streptoprocne zonaris</i> |
| 4 | Gray-rumped Swift | | | | | <i>Chaetura cinereiventris</i> |
| 9 | Ashy-tailed Swift | 2 | 10 | | A I | <i>Chaetura andrei</i> |
| 9 | Andean Swift | 2 | 15 | | A | <i>Aeronautes andecolus</i> |
| 7 | Scale-throated Hermit | 2 | 1 | | I | <i>Phaethornis eurynome</i> |
| 9 | Planalto Hermit | 2 | 4 | | A I | <i>Phaethornis pretrei</i> |
| 1 | Swallow-tailed Hummingbird | 1 | 1 | | I | <i>Eupetomena macroura</i> |
| 2 | Black Jacobin | 1 | 2 | | I | <i>Melanotrochilus (Florisuga) fuscus</i> |
| 9 | Sparkling Violet-ear | 2 | 4 | | A | <i>Colibri coruscans</i> |
| 7 | Black-throated Mango | 4 | 10 | | I | <i>Anthracothorax nigricollis</i> |
| 9 | Glittering-bellied Emerald | 10 | 6 | | A M I | <i>Chlorostilbon aureoventris</i> |
| 8 | Violet-capped Woodnymph | 5 | 3 | | I | <i>Thalurania glaucopis</i> |
| 8 | Gilded Hummingbird | 4 | 10 | | M I | <i>Hylocharis chrysura</i> |
| 8 | White-throated Hummingbird | 2 | 5 | | M | <i>Leucochloris albicollis</i> |
| 9 | White-bellied Hummingbird | 1 | 20 | | A | <i>Amazilia chionogaster</i> |

ARGENTINA: Bird List...8

| | | | | | | |
|---|-----------------------------|----|-----|-------|-------|----------------------------------|
| 6 | Versicolored Emerald | 4 | 2 | N | I | <i>Amazilia versicolor</i> |
| 5 | Speckled Hummingbird | | | | | <i>Adelomyia melanogenys</i> |
| 7 | Andean Hillstar | 1 | 2 | A | | <i>Oreotrochilus estella</i> |
| 9 | Giant Hummingbird | 2 | 2 | A | | <i>Patagona gigas</i> |
| 1 | Green-backed Firecrown | 1 | 1 | | M | <i>Sephanoides sephanioides</i> |
| 6 | Blue-capped Puffleg | 1 | 2 | A | | <i>Eriocnemis glaucopoides</i> |
| 8 | Red-tailed Comet | 2 | 2 | A | | <i>Sappho sparganura</i> |
| 7 | Slender-tailed Woodstar | 1 | 2 | A | | <i>Microstilbon burmeisteri</i> |
| 8 | Black-throated Trogon | 3 | 2 | | I | <i>Trogon rufus</i> |
| 8 | Surucua Trogon | 6 | 10 | | I | <i>Trogon surrucura</i> |
| 9 | Blue-crowned Trogon | 2 | 2 | A | | <i>Trogon curucui</i> |
| 9 | Ringed Kingfisher | 2 | 2 | | M I | <i>Megaceryle torquata</i> |
| 5 | Amazon Kingfisher | | | | | <i>Chloroceryle amazona</i> |
| 7 | Green Kingfisher | 1 | 1 | A | | <i>Chloroceryle americana</i> |
| 1 | Blue-crowned Motmot | | | | | <i>Momotus momota</i> |
| 8 | Rufous-capped Motmot | 2 | 2 | | I | <i>Baryphtengus ruficapillus</i> |
| 2 | Buff-bellied Puffbird | | | | | <i>Notharchus swainsoni</i> |
| 9 | Spot-backed Puffbird | 1 | 3 | (H) A | | <i>Nystalus maculatus</i> |
| 4 | Rusty-breasted Nunlet | 1 | 1 | | I | <i>Nonnula rubecula</i> |
| 8 | Chestnut-eared Aracari | 2 | 5 | | I | <i>Pteroglossus castanotis</i> |
| 4 | Spot-billed Toucanet | | | | | <i>Selenidera maculirostris</i> |
| 6 | Red-breasted Toucan | 1 | 1 | | I | <i>Ramphastos dicolorus</i> |
| 9 | Toco Toucan | 8 | 14 | A | I | <i>Ramphastos toco</i> |
| 6 | White-barred Piculet | 1 | 1 | A | | <i>Picumnus cirratus</i> |
| 8 | Ochre-collared Piculet | 7 | 2 | | I | <i>Picumnus temminckii</i> |
| 8 | Yellow-fronted Woodpecker | 6 | 4 | | I | <i>Melanerpes flavifrons</i> |
| 7 | Checkered Woodpecker | 2 | 2 | | M | <i>Dendrocopos mixtus</i> |
| 2 | Smoky-brown Woodpecker | | | | | <i>Veniliornis fumigatus</i> |
| 7 | Dot-fronted Woodpecker | 2 | 1 | A | | <i>Veniliornis frontalis</i> |
| 8 | White-spotted Woodpecker | 1 | 1 | | I | <i>Veniliornis spilogaster</i> |
| 7 | Golden-olive Woodpecker | | | | | <i>Piculus rubiginosus</i> |
| 7 | Green-barred Woodpecker | 2 | 4 | A | M | <i>Colaptes m. melanochloros</i> |
| 8 | Golden-breasted Woodpecker | 3 | 30 | | M | <i>Colaptes m. melanolaimus</i> |
| 9 | Chilean Flicker | 1 | 2 | | M | <i>Colaptes pitius</i> |
| 3 | Andean Flicker | | | | | <i>Colaptes rupicola</i> |
| 9 | Campo (Field) Flicker | 3 | 20 | | M | <i>Colaptes campestris</i> |
| 8 | Blond-crested Woodpecker | 4 | 2 | | I | <i>Celeus flavescens</i> |
| 8 | Lineated Woodpecker | 1 | 1 | | I | <i>Dryocopus lineatus</i> |
| 4 | Robust Woodpecker | 2 | 3 | | I | <i>Campephilus robustus</i> |
| 7 | Cream-backed Woodpecker | 3 | 3 | A | | <i>Campephilus leucopogon</i> |
| 9 | Magellanic Woodpecker | 2 | 2 | | M | <i>Campephilus magellanicus</i> |
| 9 | Common Miner | 4 | 20 | A | M | <i>Geositta cunicularia</i> |
| 5 | Short-billed Miner | | | | | <i>Geositta antarctica</i> |
| 9 | Puna Miner | 1 | 1 | A | | <i>Geositta punensis</i> |
| 9 | Rufous-banded Miner | 2 | 4 | A | | <i>Geositta rufipennis</i> |
| 9 | Scale-throated Earthcreeper | 4 | 1 | | M | <i>Upucerthia dumetaria</i> |
| 5 | Buff-breasted Earthcreeper | 1 | 1 | A | | <i>Upucerthia validirostris</i> |
| 9 | Rock Earthcreeper | 1 | 3 | A | | <i>Upucerthia andaecola</i> |
| 1 | Band-tailed Earthcreeper | | | | | <i>Eremobius phoenicurus</i> |
| 9 | Bar-winged Cinclodes | 4 | 4 | A | M | <i>Cinclodes fuscus</i> |
| 6 | White-winged Cinclodes | | | | | <i>Cinclodes atacamensis</i> |
| 9 | Dark-bellied Cinclodes | 1 | 1 | N | M | <i>Cinclodes patagonicus</i> |
| 9 | Rufous Hornero | 16 | 100 | N | A M I | <i>Furnarius rufus</i> |
| 9 | Thorn-tailed Rayadito | 4 | 8 | | M | <i>Aphrastura spinicauda</i> |

ARGENTINA: Bird List...9

| | | | | | | | |
|---|---------------------------------|---|----|-----|---|-----|--------------------------------------|
| 9 | Plain-mantled Tit-Spinetail | 2 | 1 | | A | M | <i>Leptasthenura aegithaloides</i> |
| 6 | Tufted Tit-Spinetail | 1 | 2 | | | M | <i>Leptasthenura platensis</i> |
| 2 | Brown-capped Tit-Spinetail | | | | | | <i>Leptasthenura fuliginiceps</i> |
| 9 | Wren-like Rushbird | 3 | 15 | | N | A M | <i>Phleocryptes melanops</i> |
| 7 | Curve-billed Reedhaunter | | | | | | <i>Limnornis curvirostris</i> |
| 5 | Straight-billed Reedhaunter | | | | | | <i>Limnortites rectirostris</i> |
| 9 | Bay-capped Wren-Spinetail | 2 | 4 | (H) | | M | <i>Spartanoica maluroides</i> |
| 9 | Ochre-cheeked Spinetail | 1 | 3 | (H) | A | | <i>Poecilurus scutatus</i> |
| 9 | Azara's (Buff-browed) Spinetail | 2 | 13 | (H) | A | | <i>Synallaxis azarae</i> |
| 9 | Sooty-fronted Spinetail | 3 | 2 | | A | | <i>Synallaxis frontalis</i> |
| 8 | Spix's (Chicli) Spinetail | 3 | 3 | | | M | <i>Synallaxis spixi</i> |
| 7 | Rufous-capped Spinetail | | | | | | <i>Synallaxis ruficapilla</i> |
| 2 | Olive Spinetail | | | | | | <i>Cranioleuca obsoleta</i> |
| 9 | Stripe-crowned Spinetail | 1 | 1 | | A | | <i>Cranioleuca pyrrhophia</i> |
| 7 | Sulphur-bearded Spinetail | | | | | | <i>Cranioleuca sulphurifera</i> |
| 9 | Yellow-chinned Spinetail | 1 | 1 | | | M | <i>Certhiaxis cinnamomea</i> |
| 9 | Rusty-vented Canastero | 3 | 6 | | N | A | <i>Asthenes dorbignyi</i> |
| 9 | Sharp-billed Canastero | 1 | 1 | | | M | <i>Asthenes pyrrholeuca</i> |
| 9 | Patagonian Canastero | 3 | 5 | | | M | <i>Asthenes patagonica</i> |
| 9 | Cordilleran Canastero | 1 | 1 | | A | | <i>Asthenes modesta</i> |
| 4 | Austral Canastero | 1 | 1 | | | M | <i>Asthenes anthoides</i> |
| 4 | Hudson's Canastero | | | | | | <i>Asthenes hudsoni</i> |
| 9 | Common Thornbird | 1 | 1 | | A | | <i>Phacellodomus rufifrons</i> |
| 9 | Streak-fronted Thornbird | 1 | 4 | | N | A | <i>Phacellodomus striaticeps</i> |
| 8 | Greater Thornbird | 1 | 2 | | A | | <i>Phacellodomus ruber</i> |
| 9 | Freckle-breasted Thornbird | 3 | 5 | | | M | <i>Phacellodomus striaticollis</i> |
| 7 | Spot-breasted Thornbird | 1 | 1 | | A | | <i>Phacellodomus maculipectus</i> |
| 9 | Firewood-gatherer | 2 | 2 | | N | M | <i>Anumbius annumbi</i> |
| 9 | White-throated Cacholote | 1 | 2 | | | M | <i>Pseudoseisura gutturalis</i> |
| 9 | White-throated Treerunner | 2 | 1 | | | M | <i>Pygarrhichas albogularis</i> |
| 4 | Streaked Xenops | 1 | 1 | | A | | <i>Xenops rutilans</i> |
| 5 | Plain Xenops | | | | | | <i>Xenops minutus</i> |
| 9 | Buff-browed Foliage-gleaner | 3 | 5 | (H) | A | | <i>Syndactyla rufosuperciliata</i> |
| 6 | Buff-fronted Foliage-gleaner | 2 | 2 | | | I | <i>Philydor rufus</i> |
| 8 | Ochre-breasted Foliage-gleaner | 5 | 2 | | | I | <i>Philydor lichtensteini</i> |
| 3 | Black-capped Foliage-gleaner | 2 | 2 | | | I | <i>Philydor atricapillus</i> |
| 8 | White-eyed Foliage-gleaner | 2 | 2 | | | I | <i>Automolus leucophthalmus</i> |
| 8 | Plain-winged Woodcreeper | 2 | 1 | | | I | <i>Dendrocincla turdina</i> |
| 9 | Olivaceous Woodcreeper | 4 | 1 | | | I | <i>Sittasomus griseicapillus</i> |
| 4 | Planalto Woodcreeper | | | | | | <i>Dendrocolaptes platyrostris</i> |
| 2 | White-throated Woodcreeper | | | | | | <i>Xiphocolaptes albicollis</i> |
| 2 | Great Rufous Woodcreeper | | | | | | <i>Xiphocolaptes major</i> |
| 4 | Scaled Woodcreeper | | | | | | <i>Lepidocolaptes squamatus</i> |
| 3 | Lesser Woodcreeper | 3 | 1 | | | I | <i>Lepidocolaptes fuscus</i> |
| 9 | Narrow-billed Woodcreeper | 4 | 3 | | A | M | <i>Lepidocolaptes angustirostris</i> |
| 1 | Black-billed Scythebill | | | | | | <i>Campylorhamphus falcularius</i> |
| 8 | Tufted Antshrike | 3 | 2 | (H) | | I | <i>Mackenziaena severa</i> |
| 5 | Spot-backed Antshrike | 5 | 1 | H | | I | <i>Hypoedaleus guttatus</i> |
| 7 | Giant Antshrike | 3 | 2 | | A | | <i>Batara cinerea</i> |
| 3 | Great Antshrike | 2 | 2 | | A | | <i>Taraba major</i> |
| 8 | Rufous-capped Antshrike | 1 | 1 | | | M | <i>Thamnophilus ruficapillus</i> |
| 8 | Variable Antshrike | 4 | 2 | (H) | A | I | <i>Thamnophilus caerulescens</i> |
| 8 | Plain Antwren | 5 | 4 | (H) | | I | <i>Dysithamnus mentalis</i> |
| 6 | Black-capped Antwren | 1 | 2 | | A | | <i>Herpsilochmus atricapillus</i> |

ARGENTINA: Bird List...10

| | | | | | | | |
|---|-------------------------------|---|----|-----|---|---|--------------------------------------|
| 8 | Rufous-winged Antwren | 5 | 2 | | | I | <i>Herpsilochmus rufimarginatus</i> |
| 7 | Streak-capped Antwren | 2 | 1 | | | I | <i>Terenura maculata</i> |
| 5 | Bertoni's Antbird | | | | | | <i>Drymophila rubricollis</i> |
| 8 | White-shouldered Fire-eye | 1 | 1 | | | I | <i>Pyriglena leucoptera</i> |
| 8 | Short-tailed Antthrush | 3 | 1 | H | | I | <i>Chamaeza campanisona</i> |
| 3 | Variiegated Antpitta | | | | | | <i>Grallaria varia</i> |
| 9 | White-throated Antpitta | 1 | 6 | (H) | A | | <i>Grallaria albigula</i> |
| 7 | Rufous Gnateater | 3 | 1 | | | I | <i>Conopophaea lineata</i> |
| 8 | Magellanic (Andean) Tapaculo | | | | | | <i>Scytalopus magellanicus</i> |
| 4 | Suiriri Flycatcher | 1 | 1 | | | M | <i>Suiriri suiriri</i> |
| 7 | Yellow-bellied Elaenia | 5 | 2 | | A | I | <i>Elaenia flavogaster</i> |
| 9 | Highland Elaenia | 1 | 4 | | A | | <i>Elaenia obscura</i> |
| 9 | White-crested Elaenia | 6 | 30 | | A | M | <i>Elaenia albiceps</i> |
| 9 | Small-billed Elaenia | 5 | 4 | | A | M | <i>Elaenia parvirostris</i> |
| 9 | Slaty Elaenia | 2 | 2 | | A | | <i>Elaenia strepera</i> |
| 5 | Gray Elaenia | 1 | 2 | | | I | <i>Myiopagis caniceps</i> |
| 9 | Greenish Elaenia | 1 | 1 | | A | | <i>Myiopagis viridicata</i> |
| 8 | Southern Beardless-Tyrannulet | 4 | 1 | | A | I | <i>Camptostoma obsoletum</i> |
| 3 | Rough-legged Tyrannulet | 2 | 1 | | A | | <i>Phyllomyias burmeisteri</i> |
| 1 | Greenish Tyrannulet | | | | | | <i>Phyllomyias virescens</i> |
| 4 | Sclater's Tyrannulet | 2 | 1 | | A | | <i>Phyllomyias sclateri</i> |
| 5 | Buff-banded Tyrannulet | 1 | 1 | | A | | <i>Mecocerculus hellmayri</i> |
| 9 | White-throated Tyrannulet | 1 | 2 | | A | | <i>Mecocerculus leucophrys</i> |
| 5 | Greater Wagtail-Tyrant | | | | | | <i>Stigmatura budytoides</i> |
| 9 | White-crested Tyrannulet | 2 | 2 | | A | M | <i>Serpophaga subcristata</i> |
| 9 | White-bellied Tyrannulet | 1 | 1 | | A | | <i>Serpophaga munda</i> |
| 9 | Sooty Tyrannulet | 2 | 1 | | | M | <i>Serpophaga nigricans</i> |
| 6 | Tawny-crowned Pygmy-Tyrant | 1 | 3 | | | I | <i>Euscarthmus meloryphus</i> |
| 9 | Warbling Doradito | 2 | 10 | | | M | <i>Pseudocolopteryx flaviventris</i> |
| 4 | Subtropical Doradito | | | | | | <i>Pseudocolopteryx acutipennis</i> |
| 9 | Many-colored Rush-Tyrant | 1 | 2 | | | M | <i>Tachuris rubrigastra</i> |
| 9 | Tufted Tit-Tyrant | 2 | 1 | | A | M | <i>Anairetes parulus</i> |
| 6 | Yellow-billed Tit-Tyrant | 2 | 2 | | A | | <i>Anairetes flavirostris</i> |
| 8 | Yellow Tyrannulet | 1 | 4 | | | I | <i>Capsiempis flaveola</i> |
| 8 | Mottle-cheeked Tyrannulet | 5 | 2 | | A | M | <i>Phylloscartes ventralis</i> |
| 2 | Bay-ringed Tyrannulet | | | | | | <i>Phylloscartes sylviolus</i> |
| 4 | Southern Bristle-Tyrant | 1 | 1 | | | I | <i>Phylloscartes eximius</i> |
| 4 | Mouse-colored Tyrannulet | 1 | 1 | | | I | <i>Phaeomyias murina</i> |
| 8 | Sepia-capped Flycatcher | 3 | 1 | (H) | | I | <i>Leptopogon amaurocephalus</i> |
| 7 | Gray-hooded Flycatcher | 1 | 1 | | | I | <i>Mionectes rufiventris</i> |
| 7 | Eared Pygmy-Tyrant | 1 | 4 | | | I | <i>Myiornis auricularis</i> |
| 9 | Ochre-faced Tody-Flycatcher | 2 | 4 | (H) | A | | <i>Todirostrum plumbeiceps</i> |
| 8 | Southern Antpipit | 4 | 2 | | | I | <i>Corythopsis delalandi</i> |
| 6 | White-throated Spadebill | | | | | | <i>Platyrrinchus mystaceus</i> |
| 5 | Yellow-olive Flycatcher | | | | | | <i>Tolmomyias sulphurescens</i> |
| 8 | Cinnamon Flycatcher | 1 | 3 | | A | | <i>Pyrrhomyias cinnamomea</i> |
| 9 | Bran-colored Flycatcher | 4 | 6 | | A | M | <i>Myiophobus fasciatus</i> |
| 7 | Euler's Flycatcher | 1 | 1 | | A | | <i>Lathrotriccus euleri</i> |
| 5 | Tropical Pewee | | | | | | <i>Contopus cinereus</i> |
| 9 | Smoke-colored Pewee | 3 | 2 | | A | | <i>Contopus fumigatus</i> |
| 8 | Fuscous Flycatcher | 1 | 1 | | | I | <i>Cnemotriccus fuscatus</i> |
| 9 | Black Phoebe | 3 | 2 | | A | | <i>Sayornis nigricans</i> |
| 9 | Vermilion Flycatcher | 3 | 5 | | A | M | <i>Pyrocephalus rubinus</i> |
| 6 | White-browed Chat-Tyrant | 1 | 1 | | A | | <i>Ochthoeca leucophrys</i> |

ARGENTINA: Bird List...11

| | | | | | | | | |
|---|--------------------------------|----|-----|---|---|----------------------------------|---|-----------------------------|
| 9 | D'Orbigny's Chat-Tyrant | 3 | 2 | A | | <i>Ochthoeca oenanthoides</i> | | |
| 5 | Streak-throated Bush-Tyrant | | | | | <i>Myiothretes striaticollis</i> | | |
| 8 | Lesser Shrike-Tyrant | 3 | 2 | M | | <i>Agiornis murina</i> | | |
| 9 | Black-billed Shrike-Tyrant | 2 | 1 | A | M | <i>Agiornis montana</i> | | |
| 2 | Great Shrike-Tyrant | | | | | <i>Agiornis livida</i> | | |
| 9 | Gray-bellied Shrike-Tyrant | 3 | 2 | A | M | <i>Agiornis microptera</i> | | |
| 7 | Rufous-naped Ground Tyrant | 2 | 1 | A | | <i>Muscisaxicola rufivertex</i> | | |
| 4 | White-browed Ground-Tyrant | 1 | 1 | M | | <i>Muscisaxicola albilora</i> | | |
| 8 | Ochre-naped Ground-Tyrant | 2 | 7 | M | | <i>Muscisaxicola flvnucha</i> | | |
| 8 | Cinnamon-bellied Ground-Tyrant | 2 | 2 | M | | <i>Muscisaxicola capistrata</i> | | |
| 9 | Dark-faced Ground-Tyrant | 4 | 6 | M | | <i>Muscisaxicola macloviana</i> | | |
| 9 | Chocolate-vented Tyrant | 1 | 2 | M | | <i>Neoxolmis rufiventris</i> | | |
| 2 | Rufous-webbed Bush-Tyrant | | | | | <i>Polioxolmis rufipennis</i> | | |
| 9 | Rusty-backed Monjita | 1 | 4 | M | | <i>Xolmis rubetra</i> | | |
| 9 | Fire-eyed Diucon | 2 | 3 | M | | <i>Xolmis pyrope</i> | | |
| 9 | White Monjita | 3 | 10 | A | | <i>Xolmis irupero</i> | | |
| 8 | Yellow-browed Tyrant | 5 | 2 | A | M | <i>Satrapa icterophrys</i> | | |
| 9 | Cattle Tyrant | 3 | 2 | A | M | <i>Machetornis rixosus</i> | | |
| 8 | Long-tailed Tyrant | 2 | 4 | N | I | <i>Colonia colonus</i> | | |
| 7 | Andean (Plumbeous) Tyrant | | | | | <i>Knipolegus signatus</i> | | |
| 8 | White-winged Black-Tyrant | 3 | 2 | A | | <i>Knipolegus aterrimus</i> | | |
| 9 | Spectacled Tyrant | 7 | 40 | A | M | <i>Hymenops perspicillatus</i> | | |
| 9 | Austral Negrito | 8 | 20 | M | | <i>Lessonia rufa</i> | | |
| 9 | Andean Negrito | 2 | 4 | A | | <i>Lessonia oreas</i> | | |
| 4 | Black-backed Water-Tyrant | | | | | <i>Fluvicola albiventer</i> | | |
| 1 | Southern Scrub-Flycatcher | | | | | <i>Sublegatus modestus</i> | | |
| 8 | Brown-crested Flycatcher | 1 | 2 | A | | <i>Myiarchus tyrannulus</i> | | |
| 6 | Swainson's Flycatcher | | | | | <i>Myiarchus swainsoni</i> | | |
| 5 | Short-crested Flycatcher | 1 | 2 | | I | <i>Myiarchus ferox</i> | | |
| 9 | Dusky-capped Flycatcher | 2 | 2 | A | | <i>Myiarchus tuberculifer</i> | | |
| 8 | Sirystes | 1 | 1 | H | I | <i>Sirystes sibilator</i> | | |
| 8 | Boat-billed Flycatcher | 6 | 6 | | I | <i>Megarhynchus pitangua</i> | | |
| 9 | Great Kiskadee | 20 | 50 | N | A | M | I | <i>Pitangus sulphuratus</i> |
| 8 | Social Flycatcher | 3 | 2 | A | | I | <i>Myiozetetes similis</i> | |
| 6 | Three-striped Flycatcher | 3 | 4 | | | I | <i>Conopias trivirgata</i> | |
| 9 | Streaked Flycatcher | 11 | 5 | A | M | I | <i>Myiodynastes maculatus</i> | |
| 9 | Piratic Flycatcher | 3 | 2 | A | | I | <i>Legatus leucophaeus</i> | |
| 8 | Crowned Slaty-Flycatcher | 2 | 1 | A | | | <i>Griseotyrannus aurantioatrocristatus</i> | |
| 9 | Variegated Flycatcher | 3 | 1 | A | | | <i>Empidonomus varius</i> | |
| 9 | Tropical Kingbird | 14 | 8 | A | M | I | <i>Tyrannus melancholicus</i> | |
| 9 | Fork-tailed Flycatcher | 10 | 100 | A | M | I | <i>Tyrannus savana</i> | |
| 7 | Green-backed Becard | 1 | 1 | | | I | <i>Pachyramphus viridis</i> | |
| 9 | White-winged Becard | 4 | 2 | A | M | I | <i>Pachyramphus polychopterus</i> | |
| 5 | Chestnut-crowned Becard | | | | | | <i>Pachyramphus castaneus</i> | |
| 9 | Crested Becard | 1 | 1 | A | | | <i>Pachyramphus validus</i> | |
| 8 | Black-crowned Tityra | 1 | 2 | | | I | <i>Tityra inquisitor</i> | |
| 5 | Black-tailed Tityra | 2 | 2 | | | I | <i>Tityra cayana</i> | |
| 7 | Greenish Mourner (Manakin) | | | | | | <i>Schiffornis virescens</i> | |
| 4 | Wing-barred Piprites (Manakin) | 1 | 1 | | | I | <i>Piprites chloris</i> | |
| 8 | Blue (Swallow-tailed) Manakin | 2 | 2 | | | I | <i>Chiroxiphia caudata</i> | |
| 1 | Band-tailed Manakin | 1 | 1 | | | I | <i>Pipra fasciicauda</i> | |
| 8 | White-bearded Manakin | 2 | 3 | | | I | <i>Manacus manacus</i> | |
| 9 | White-tipped Plantcutter | 3 | 2 | A | | | <i>Phytotoma rutila</i> | |
| 9 | Rufous-tailed Plantcutter | 1 | 2 | | M | | <i>Phytotoma rara</i> | |

ARGENTINA: Bird List...12

| | | | | | | |
|---|-------------------------------|----|----|-------|-------|----------------------------------|
| 9 | Plush-crested Jay | 11 | 20 | A | I | <i>Cyanocorax chrysops</i> |
| 9 | Brown-chested Martin | 7 | 20 | A | M I | <i>Phaeoprogne tapera</i> |
| 9 | Gray-breasted Martin | 7 | 10 | A | M I | <i>Progne chalybea</i> |
| 9 | Southern Martin | 5 | 20 | A | M | <i>Progne modesta</i> |
| 8 | White-winged Swallow | 3 | 10 | N | I | <i>Tachycineta albiventer</i> |
| 9 | White-rumped Swallow | 7 | 50 | A | M I | <i>Tachycineta leucorrhoa</i> |
| 9 | Chilean Swallow | 8 | 50 | | M | <i>Tachycineta leucopyga</i> |
| 9 | Blue-and-white Swallow | 9 | 10 | A | M I | <i>Notiochelidon cyanoleuca</i> |
| 5 | Black-collared Swallow | | | | | <i>Atticora melanoleuca</i> |
| 8 | Southern Rough-winged Swallow | 3 | 2 | A | I | <i>Stelgidopteryx ruficollis</i> |
| 9 | Tawny-headed Swallow | 1 | 10 | A | | <i>Stelgidopteryx fucata</i> |
| 2 | Sand Martin (Bank Swallow) | | | | | <i>Riparia riparia</i> |
| 8 | Cliff Swallow | | | | | <i>Petrochelidon pyrrhonota</i> |
| 9 | Barn Swallow | 5 | 50 | | M I | <i>Hirundo rustica</i> |
| 1 | Black-capped Donacobius | 1 | 1 | | I | <i>Donacobius atricapilla</i> |
| 1 | Thrush-like Wren | 1 | 1 | H | I | <i>Campylorhynchus turdinus</i> |
| 9 | House Wren | 25 | 10 | N | A M I | <i>Troglodytes aedon</i> |
| 9 | Mountain Wren | 1 | 2 | A | | <i>Troglodytes solstitialis</i> |
| 5 | Grass Wren | 1 | 2 | A | | <i>Cistothorus platensis</i> |
| 8 | Creamy-bellied Gnatcatcher | 2 | 1 | | I | <i>Polioptila lactea</i> |
| 9 | Masked Gnatcatcher | 4 | 2 | A | M | <i>Polioptila dumicola</i> |
| 8 | Swainson's Thrush | 2 | 3 | A | | <i>Catharus ustulatus</i> |
| 8 | Glossy-black Thrush | 1 | 1 | A | | <i>Turdus serranu</i> |
| 9 | Chiguanco Thrush | 2 | 4 | A | | <i>Turdus chiguanco</i> |
| 9 | Austral Thrush | 6 | 20 | | M | <i>Turdus falcklandii</i> |
| 9 | Rufous-bellied Thrush | 17 | 20 | N | A M I | <i>Turdus rufiventris</i> |
| 9 | Creamy-bellied Thrush | 4 | 20 | N | A M I | <i>Turdus amaurochalinus</i> |
| 8 | Pale-breasted Thrush | 7 | 20 | | I | <i>Turdus leucomelas</i> |
| 8 | White-necked Thrush | 2 | 1 | A | I | <i>Turdus albicollis</i> |
| 9 | Andean Slaty-Thrush | 2 | 1 | A | | <i>Turdus nigriceps</i> |
| 9 | Rufous-throated Dipper | 1 | 1 | A | | <i>Cinclus schultzi</i> |
| 9 | Chalk-browed Mockingbird | 14 | 20 | A | M I | <i>Mimus saturninus</i> |
| 7 | White-banded Mockingbird | 1 | 1 | A | | <i>Mimus triurus</i> |
| 9 | Patagonian Mockingbird | 5 | 14 | | M | <i>Mimus patagonicus</i> |
| 9 | Brown-backed Mockingbird | 2 | 5 | A | | <i>Mimus dorsalis</i> |
| 9 | Yellowish Pipit | 1 | 1 | A | | <i>Anthus lutescens</i> |
| 8 | Short-billed Pipit | 1 | 1 | A | | <i>Anthus furcatus</i> |
| 9 | Correndera Pipit | 6 | 4 | | M | <i>Anthus correndera</i> |
| 9 | Rufous-browed Peppershrike | 4 | 2 | (H) N | A | <i>Cyclarhis gujanensis</i> |
| 9 | Red-eyed Vireo | 9 | 10 | | A M I | <i>Vireo olivaceus</i> |
| 5 | Rufous-crowned Greenlet | | | | | <i>Hylophilus poecilotis</i> |
| 9 | Tropical Parula | 5 | 4 | N | A I | <i>Parula pitaiayumi</i> |
| 9 | Brown-capped Redstart | 5 | 25 | A | | <i>Myioborus bruniceps</i> |
| 9 | Masked Yellowthroat | 4 | 2 | A | I | <i>Geothlypis aequinoctialis</i> |
| 9 | Pale-legged Warbler | 1 | 2 | A | | <i>Basileuterus signatus</i> |
| 8 | Two-banded Warbler | 1 | 4 | A | | <i>Basileuterus bivittatus</i> |
| 9 | Golden-crowned Warbler | 8 | 20 | A | M I | <i>Basileuterus culicivorus</i> |
| 7 | (Neotropical) River Warbler | | | | | <i>Basileuterus rivularis</i> |
| 8 | Blue Dacnis | 7 | 6 | | I | <i>Dacnis cayana</i> |
| 8 | Bananaquit | 2 | 30 | | I | <i>Coereba flaveola</i> |
| 8 | Chestnut-vented Conebill | 3 | 4 | | I | <i>Conirostrum speciosum</i> |
| 8 | Guira Tanager | 4 | 2 | | I | <i>Hemithraupis guira</i> |
| 9 | Orange-headed Tanager | 3 | 2 | A | | <i>Thlypopsis sordida</i> |
| 5 | Rust-and-yellow Tanager | | | | | <i>Thlypopsis ruficeps</i> |

ARGENTINA: Bird List...13

| | | | | | | | |
|---|----------------------------|----|-----|--|-----|-------|-----------------------------------|
| 8 | Green-headed Tanager | 4 | 6 | | | I | <i>Tangara seledon</i> |
| 8 | Violaceous Euphonia | 5 | 2 | | | I | <i>Euphonia violacea</i> |
| 9 | Purple-throated Euphonia | 2 | 1 | | A | I | <i>Euphonia chlorotica</i> |
| 5 | Golden-rumped Euphonia | | | | | | <i>Euphonia cyanocephala</i> |
| 8 | Chestnut-bellied Euphonia | 4 | 2 | | | I | <i>Euphonia pectoralis</i> |
| 7 | Blue-naped Chlorophonia | 1 | 4 | | | I | <i>Chlorophonia cyanea</i> |
| 8 | Swallow Tanager | 4 | 10 | | | I | <i>Tersina viridis</i> |
| 9 | Common Bush-Tanager | 3 | 50 | | A | | <i>Chlorospingus ophthalmicus</i> |
| 9 | Fawn-breasted Tanager | 3 | 4 | | A | | <i>Pipraeidea melanonota</i> |
| 9 | Blue-and-yellow Tanager | 3 | 15 | | A | | <i>Thraupis bonariensis</i> |
| 9 | Sayaca Tanager | 11 | 50 | | A | M I | <i>Thraupis sayaca</i> |
| 5 | Diademed Tanager | 1 | 1 | | | M | <i>Stephanophorus diadematus</i> |
| 7 | Hepatic Tanager | | | | | | <i>Piranga flava</i> |
| 8 | Red-crowned Ant-Tanager | 2 | 3 | | | I | <i>Habia rubica</i> |
| 2 | Silver-beaked Tanager | 1 | 1 | | | I | <i>Ramphocelus carbo</i> |
| 8 | Ruby-crowned Tanager | 2 | 1 | | | I | <i>Tachyphonus coronatus</i> |
| 8 | Black-goggled Tanager | 6 | 4 | | | I | <i>Trichothraupis melanops</i> |
| 5 | Chestnut-headed Tanager | | | | | | <i>Pyrrhocomma ruficeps</i> |
| 8 | Magpie Tanager | 5 | 6 | | | I | <i>Cissopis leveriana</i> |
| 9 | Long-tailed Meadowlark | 8 | 10 | | | M | <i>Sturnella loyca</i> |
| 9 | White-browed Blackbird | 1 | 10 | | | M | <i>Sturnella superciliaris</i> |
| 9 | Brown-and-yellow Marshbird | 4 | 100 | | N | M | <i>Pseudoleistes virescens</i> |
| 9 | Scarlet-headed Blackbird | 2 | 5 | | N | M | <i>Amblyramphus holosericeus</i> |
| 4 | Chestnut-capped Blackbird | 2 | 50 | | | A | <i>Agelaius ruficapillus</i> |
| 4 | Unicolored Blackbird | | | | | | <i>Agelaius cyanopus</i> |
| 9 | Yellow-winged Blackbird | 6 | 30 | | | A M | <i>Agelaius thilius</i> |
| 7 | Chopi Blackbird | 5 | 10 | | | I | <i>Gnorimopsar chopi</i> |
| 9 | Austral Blackbird | 4 | 8 | | | M | <i>Curaeus curaeus</i> |
| 8 | Screaming Cowbird | 1 | 2 | | | M | <i>Molothrus rufoaxillaris</i> |
| 9 | Shiny Cowbird | 15 | 100 | | N | A M I | <i>Molothrus bonariensis</i> |
| 9 | Bay-winged Cowbird | 6 | 20 | | | A M | <i>Molothrus badius</i> |
| 8 | Giant Cowbird | 1 | 1 | | | I | <i>Scaphidura oryzivora</i> |
| 9 | Epaulet Oriole | 6 | 2 | | | A M I | <i>Icterus cayanensis</i> |
| 6 | Solitary Cacique | 2 | 2 | | | A M | <i>Cacicus solitarius</i> |
| 8 | Red-rumped Cacique | 7 | 100 | | | N | <i>Cacicus haemorrhous</i> |
| 9 | Golden-winged Cacique | 3 | 2 | | | A | <i>Cacicus chrysopterus</i> |
| 8 | Crested Oropendola | 3 | 10 | | | N A | <i>Psarocolius decumanus</i> |
| 6 | Black-throated Grosbeak | 1 | 1 | | | I | <i>Pitylus fuliginosus</i> |
| 6 | Grayish Saltator | | | | | | <i>Saltator coerulescens</i> |
| 7 | Green-winged Saltator | 5 | 1 | | | M I | <i>Saltator similis</i> |
| 9 | Golden-billed Saltator | 3 | 5 | | | A | <i>Saltator aurantiirostris</i> |
| 8 | Yellow-billed Cardinal | 1 | 2 | | | M | <i>Paroaria capitata</i> |
| 9 | Red-crested Cardinal | 2 | 4 | | | M | <i>Paroaria coronata</i> |
| 9 | Black-backed Grosbeak | 3 | 2 | | | A | <i>Pheucticus aureoventris</i> |
| 9 | Ultramarine Grosbeak | 1 | 2 | | | A | <i>Cyanocompsa brissonii</i> |
| 8 | Lesser Seed-Finch | 1 | 1 | | | I | <i>Oryzoborus angolensis</i> |
| 5 | Blue-black Grassquit | | | | | | <i>Volatinia jacarina</i> |
| 2 | Temnick's Seedeater | 1 | 1 | | H | I | <i>Sporophila falcirostris</i> |
| 3 | Lined Seedeater | | | | | | <i>Sporophila lineola</i> |
| 3 | Rusty-collared Seedeater | | | | | | <i>Sporophila collaris</i> |
| 9 | Double-collared Seedeater | 7 | 8 | | | A M I | <i>Sporophila caerulescens</i> |
| 3 | Blackish-blue Seedeater | 2 | 2 | | (H) | I | <i>Amaurospica moesta</i> |
| 8 | Fulvous-headed Brush-Finch | 2 | 3 | | | A | <i>Atlapetes fulviceps</i> |
| 8 | Stripe-headed Brush-Finch | 2 | 2 | | | A | <i>Atlapetes torquatus</i> |

ARGENTINA: Bird List...14

| | | | | | |
|---|-----------------------------------|----|------|-------|----------------------------------|
| 8 | Band-tailed Seedeater | 1 | 2 | A | <i>Catamenia analis</i> |
| 9 | Plain-colored Seedeater | 2 | 2 | A | <i>Catamenia inornata</i> |
| 9 | Ash-breasted Sierra-Finch | 3 | 50 | A | <i>Phrygilus plebejus</i> |
| 5 | Band-tailed Sierra-Finch | | | | <i>Phrygilus alaudinus</i> |
| 9 | Mourning Sierra-Finch | 8 | 30 | A M | <i>Phrygilus fruticeti</i> |
| 5 | Carbonated Sierra-Finch | 1 | 2 | M | <i>Phrygilus carbonarius</i> |
| 9 | Black-hooded Sierra-Finch | 3 | 16 | A | <i>Phrygilus atriceps</i> |
| 8 | Gray-hooded Sierra-Finch | 3 | 8 | M | <i>Phrygilus gayi</i> |
| 9 | Patagonian Sierra-Finch | 4 | 6 | M | <i>Phrygilus patagonicus</i> |
| 8 | Common Diuca-Finch | 2 | 4 | M | <i>Diuca diuca</i> |
| 7 | Yellow-bridled Finch | 1 | 6 | M | <i>Melanodera xanthogramma</i> |
| 8 | Black-capped Warbling-Finch | 2 | 7 | A | <i>Poospiza melanoleuca</i> |
| 9 | Black-and-rufous Warbling-Finch | 4 | 20 | A M | <i>Poospiza nigrorufa</i> |
| 9 | Rusty-browed Warbling-Finch | 3 | 4 | A | <i>Poospiza erythrophrys</i> |
| 3 | Rufous-sided Warbling-Finch | | | | <i>Poospiza hypochondria</i> |
| 9 | Black-and-chestnut Warbling-Finch | 2 | 2 | A | <i>Poospiza whitii</i> |
| 2 | Gray-throated Warbling-Finch | 1 | 4 | M | <i>Poospiza cabanisi</i> |
| 8 | Saffron-billed Sparrow | 5 | 5 | A I | <i>Arremon flavirostris</i> |
| 9 | Rufous-collared Sparrow | 26 | 100+ | A M I | <i>Zonotrichia capensis</i> |
| 9 | Stripe-capped Sparrow | 4 | 10 | A | <i>Aimophila strigiceps</i> |
| 5 | Grassland Sparrow | | | | <i>Ammodramus humeralis</i> |
| 9 | Great Pampa-Finch | 3 | 6 | A M | <i>Embernagra platensis</i> |
| 9 | Long-tailed Reed-Finch | 1 | 2 | M | <i>Donacospiza albifrons</i> |
| 9 | Red Pileated-Finch | 4 | 5 | A I | <i>Coryphospingus cucullatus</i> |
| 9 | Saffron Finch | 9 | 30 | A M I | <i>Sicalis flaveola</i> |
| 9 | Grassland Yellow-Finch | 4 | 100 | M | <i>Sicalis luteola</i> |
| 9 | Bright-rumped Yellow-Finch | 2 | 6 | A | <i>Sicalis uropygialis</i> |
| 9 | Puna Yellow-Finch | 1 | 10 | A | <i>Sicalis lutea</i> |
| 9 | Greenish Yellow-Finch | 3 | 30 | A | <i>Sicalis olivascens</i> |
| 9 | Patagonian Yellow-Finch | 3 | 10 | M | <i>Sicalis lebruni</i> |
| 9 | Hooded Siskin | 7 | 20 | A M | <i>Carduelis magellanica</i> |
| 9 | Black-chinned Siskin | 5 | 00s | M | <i>Carduelis barbata</i> |
| 9 | Black Siskin | 1 | 20 | A | <i>Carduelis atrata</i> |